

Table of Contents

1 ProductSpecifications:GET	1
2 GET /productSpecifications	2
2.1 Contents	2
2.2 Request	2
2.3 Response	2
2.4 See also	2
3 ProductSpecifications-productSpecificationId:GET	3
4 GET /productSpecifications/{productSpecificationId}	4
4.1 Contents	4
4.2 Request	4
4.3 Response	4
4.4 See also	4
5 ProductSpecifications-productSpecificationId-offerings:GET	5
6 GET /productSpecifications/{productSpecificationId}/offerings	6
6.1 Contents	6
6.2 Request	6
6.3 Response	6
6.4 See also	6
7 ProductSpecifications-productSpecificationId-offerings-offeringId:GET	8
8 GET /productSpecifications/{productSpecificationId}/offerings/{offeringId}	9
8.1 Contents	9
8.2 Request	9
8.3 Response	9
8.4 Examples	10
8.5 See also	11
9 ProductSpecifications-productSpecificationId-offerings-offeringId-prices:GET	12
10 GET /productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices	13
10.1 Contents	13
10.2 Request	13
10.3 Response	13
10.4 Examples	15
10.5 See also	16
11 ProductSpecifications-productSpecificationId-serviceSpecifications:GET	17
12 GET /productSpecifications/{productSpecificationId}/serviceSpecifications	18
12.1 Contents	18
12.2 Request	18
12.3 Response	18
12.4 See also	18
13 ServiceSpecifications-serviceSpecificationId:GET	19
14 GET /serviceSpecifications/{serviceSpecificationId}	20
14.1 Contents	20
14.2 Request	20
14.3 Response	20
14.4 See also	20
15 ServiceSpecifications-serviceSpecificationId-attributes:GET	22
16 GET /serviceSpecifications/{serviceSpecificationId}/attributes	23
16.1 Contents	23
16.2 Request	23
16.3 Response	23
16.4 See also	23
17 Common Features	24

1 ProductSpecifications:GET

2 GET /productSpecifications

Get product specifications.

2.1 Contents

- 1 GET /productSpecifications
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

2.2 Request

GET /productSpecifications

2.3 Response

Returns a dictionary containing list of product specifications with product names and link to corresponding product details

2.3.1 Status Code

200 OK

The request was successfully executed.

2.3.2 Response Body

```
{
  "list": [
    {
      "name": "{productName}",
      "id": "{productSpecificationId}",
      "details": "https://api.hostway.com/productspecifications/{productSpecificationId}"
    },
    {
      "name": "{productName}",
      "id": "{productSpecificationId}",
      "details": "https://api.hostway.com/productspecifications/{productSpecificationId}"
    }
  ],
  "links": [
    { "href": "https://api.hostway.com/productspecifications/", "rel": "self" }
  ]
}
```

2.3.2.1 Parameters

list - *list*

List of product specifications with product names and link to corresponding product details. Each element of the list has the following attributes:

name - *string*

The name of the product.

id - *string*

The unique Id of the product.

details - *string*

Hyperlink to the product's details.

links - *list*

[Hypermedia](#) for this resource. Link to self will preserve filtering, sorting and pagination set by the request. Links to the first, last, previous and next pages will also be included if applicable.

2.4 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

3 ProductSpecifications-productSpecificationId:GET

4 GET /productSpecifications/{productSpecificationId}

Retrieves product specification details.

4.1 Contents

- 1 GET
/productSpecifications/{productSpecificationId}
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

4.2 Request

GET /productSpecifications/{productSpecificationId}

4.3 Response

Returns a dictionary containing product specification details for a particular product specification Id.

4.3.1 Status Code

200 OK
Success

404 Not Found
Returned if the product specification Id could not be found.

4.3.2 Response Body

```
{
  "name": "{productSpecificationName}",
  "ranking": 1,
  "rules": "https://api.hostway.com/productSpecifications/core.netdba_1/rules",
  "serviceSpecifications": "https://api.hostway.com/productSpecifications/{productSpecificationId}/serviceSpecifications",
  "offerings": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings",
  "links": [
    { "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/", "rel": "self" }
  ]
}
```

4.3.2.1 Parameters

name - *string*
The name of product

ranking - *integer*
Product ranking value

rules - *link*
Hyperlink to the product's rules

serviceSpecifications - *link*
Hyperlink to the product's serviceSpecifications

offerings - *link*
Hyperlink to the product's offerings

links - *list*
[Hypermedia](#) for this resource. Link to self will preserve filtering, sorting and pagination set by the request. Links to the first, last, previous and next pages will also be included if applicable

4.4 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

5 ProductSpecifications-productSpecificationId-offerings:GET

6 GET /productSpecifications/{productSpecificationId}/offerings

Retrieves a list of product specification offerings.

6.1 Contents

- 1 GET
 /productSpecifications/{productSpecificationId}/offerings
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

6.2 Request

GET /productSpecifications/{productSpecificationId}/offerings

6.3 Response

Returns a list of product specification offerings for a particular product specification Id.

6.3.1 Status Code

200 OK
Success.

404 Not Found
Returned if the product specification Id could not be found.

6.3.2 Response Body

```
{
  [
    {
      "prices": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/USD-3/prices",
      "currency": "USD",
      "default": 1,
      "billingPeriod": 3,
      "rules": "https://api.hostway.com/productspecifications/{productSpecificationId}/rules",
      "uri": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/USD-3/"
    },
    {
      "prices": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/USD-1/prices",
      "currency": "USD",
      "default": 0,
      "billingPeriod": 1,
      "rules": "https://api.hostway.com/productspecifications/{productSpecificationId}/rules",
      "uri": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/USD-1/"
    },
    {
      "prices": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/USD-12/prices",
      "currency": "USD",
      "default": 0,
      "billingPeriod": 12,
      "rules": "https://api.hostway.com/productspecifications/{productSpecificationId}/rules",
      "uri": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/USD-12/"
    }
  ]
}
```

6.3.2.1 Parameters

prices - *link*
Hyperlink to the product's offerings prices.

currency - *string*
Offering currency.

default - *integer*
Specifies whether the billing cycle is the default for the given product and currency. Each currency will have its own default cycle. Allowed values are 0 and 1

billingPeriod - *integer*
Offering billing period in months.

rules - *link*
Hyperlink to the product's rules.

uri - *link*
Hyperlink to the specific product's offering

6.4 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

7 ProductSpecifications-productSpecificationId-offerings-offeringId:GET

8 GET /productSpecifications/{productSpecificationId}/offerings/{offeringId}

Retrieves product specification offering details.

8.1 Contents

- 1 GET
/productSpecifications/{productSpecificationId}/offerings/{offeringId}
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 Examples
 - ◇ 1.3.1 Success scenario
 - ◇ 1.3.2 Request with details
 - ◆ 1.4 See also

8.2 Request

GET /productSpecifications/{productSpecificationId}/offerings/{offeringId}

8.2.1 Request Parameters

productSpecificationId - *string*
Product specification Id for a particular product specification
offeringId - *string*
Offering Id of the specific offering for a particular product specification

8.2.2 URI Parameters

details - integer
If set to 1, response will include list of pricing information. This is a short way to get both the offering details and *offering prices*

The following parameters are optional and work in combination with details=1. They are used for the pricing list **filtering**, **sorting** and **pagination**.

filterType

Indicates that the result should be filtered by price type.
The legal values for this parameter are 'fee', 'discount' and 'usage_fee'
fee - all product specification and its service specifications prices (e.g. setup fee, recurring fee, etc.)
discount - all product specification and its service specifications discounts
usage_fee - all product specification and its service specifications usage prices
This parameter CANNOT be used with values containing any wildcards (*)

filterRecurrences

Indicates that the result should be filtered by the number of recurrences
This parameter is optional.
The values for this parameter can be specified using a wildcard(*).

filterRelatedServiceSpecification

Indicates that the result should be filtered by linked service specification URI.
A value of *indicates that only results with relatedServiceSpecification=* should be returned.
This parameter is optional
This parameter CANNOT be used with values containing any wildcards (*)

filterName

Indicates that the result should be filtered by name
This parameter is optional
This parameter CANNOT be used with values containing any wildcards (*)

sortField

Indicates which field should be used for sorting.
Legal values are 'name', 'type', 'recurrences' and 'relatedServiceSpecification'.
This parameter is optional

sortOrder

Indicates the order in which the result should be sorted.
Legal values are 'asc' and 'desc'
This parameter is optional. If 'sortField' was specified and 'sortOrder' was omitted, then the result will be sorted in ascending order.

pageSize

Indicates the number of prices to be included on each page of the result (if pagination is desired)
This parameter is optional. If 'page' is specified, 'pageSize' is required.

page

Indicates the 1-based index of the page to view.
The value must be an integer between 1 and the maximum number of pages (returned in the 'last' element of the 'links' attribute of the result)
This parameter is optional, but if 'pageSize' was specified, then 'page' is also required.

8.3 Response

Returns a dictionary of product specification offering details

8.3.1 Status Code

- 200 OK
Success
- 401 Unauthorized
The supplied credentials are invalid or do not provide permissions for this operation.
- 404 Not Found
Returned if the product specification Id or the offering Id could not be found.

8.3.2 Response Body

```
{
  "billingPeriod": 3,
  "currency": "USD",
  "default": 1,
  "prices": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/{offeringId}/prices",
  "links": [
    { "href": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/{offeringId}/", "rel": "self" }
  ]
}
```

8.3.2.1 Parameters

- billingPeriod** - *integer*
Price's billing period in months
- currency** - *string*
Price's currency
- default** - *integer*
Specifies whether the offering uses the default billing cycle. Allowed values are **0** and **1**
- prices** - *link*
Hyperlink to the product's offerings prices
If request contains **details** parameter - response will return **prices parameters** instead of hyperlink
- links** - *list*
Hypermedia for this resource.

8.4 Examples

8.4.1 Success scenario

Request

GET /productspecifications/{productSpecificationId}/offerings/{offeringId}

Response

```
{
  "billingPeriod": 3,
  "currency": "USD",
  "default": 1,
  "prices": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/{offeringId}/prices",
  "links": [
    { "href": "https://api.hostway.com/productspecifications/{productSpecificationId}/offerings/{offeringId}/", "rel": "self" }
  ]
}
```

8.4.2 Request with details

Request

GET /productspecifications/{productSpecificationId}/offerings/{offeringId}?details=1&page=2&pageSize=10

Response

```
{
  "billingPeriod": 3,
  "currency": "USD",
  "default": 1,
  "prices": [
    {
      "type": "fee",
      "name": "recurring",
      "deferred": 1,
      "amount": 1125.0,
      "billingPeriod": 3,
      "recurrences": -1,
      "relatedServiceSpecification": "https://api.hostway.com/serviceSpecifications/{serviceSpecificationId}",
    },
    {
      "type": "usage_fee",
      "name": "mfg_mailbox_standard",
      "billingPeriod": 1,
      "relatedServiceSpecification": "https://api.hostway.com/serviceSpecifications/{serviceSpecificationId}",
      "unit": "mfg_mailbox_standard",
      "rates": [
        {
          "start": 1.0,
          "end": 3.0,
          "pricePerIncrement": 0.0,
          "includedPrice": 0.0,
          "increment": 1.0
        }
      ]
    }
  ]
}
```

```

        {
            "start" : 3.0,
            "end" : -1.0,
            "pricePerIncrement" : 1.0,
            "includedPrice": 3.0,
            "increment": 1.0
        }
    ]
}
],
"links": [
    {
        "rel": "self",
        "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}?details=1&page=2"
    },
    {
        "rel": "first",
        "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}?details=1&page=1"
    },
    {
        "rel": "previous",
        "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}?details=1&page=1"
    },
    {
        "rel": "next",
        "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}?details=1&page=3"
    },
    {
        "rel": "last",
        "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}?details=1&page=3"
    },
]
}

```

8.5 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

9 ProductSpecifications-productSpecificationId-offerings-offeringId-prices:GET

10 GET

/productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices

Retrieves prices for a particular product specification offering.

10.1 Contents

- 1 GET /productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices
 - ◆ 1.1 Request
 - ◇ 1.1.1 URI Parameters
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 Examples
 - ◇ 1.3.1 Get usage tiers for a given service specification of a product
 - ◇ 1.3.2 Get usage tiers for a given service specification of a product filtered by an usage rate's name
 - ◆ 1.4 See also

10.2 Request

GET /productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices

10.2.1 URI Parameters

filterType

Indicates that the result should be filtered by price type.

The legal values for this parameter are 'fee', 'discount' and 'usage_fee'

fee - all product specification and its service specifications prices (e.g. setup fee, recurring fee, etc.)

discount - all product specification and its service specifications discounts

usage_fee - all product specification and its service specifications usage prices

This parameter CANNOT be used with values containing any wildcards (*)

This parameter is optional

filterRecurrences

Indicates that the result should be filtered by the number of recurrences

This parameter is optional.

The values for this parameter can be specified using a wildcard(*)

filterRelatedServiceSpecification

Indicates that the result should be filtered by linked service specification URI.

A value of *indicates that only results with relatedServiceSpecification=* should be returned.

This parameter is optional

This parameter CANNOT be used with values containing any wildcards (*)

filterName

Indicates that the result should be filtered by name

This parameter is optional

This parameter CANNOT be used with values containing any wildcards (*)

sortField

Indicates which field should be used for sorting.

Legal values are 'name', 'type', 'recurrences' and 'relatedServiceSpecification'.

This parameter is optional

sortOrder

Indicates the order in which the result should be sorted.

Legal values are 'asc' and 'desc'

This parameter is optional. If 'sortField' was specified and 'sortOrder' was omitted, then the result will be sorted in ascending order.

pageSize

Indicates the number of prices to be included on each page of the result (if pagination is desired)

This parameter is optional. If 'page' is specified and 'pageSize' is omitted, then the result will show 100 prices per page.

page

Indicates the 1-based index of the page to view.

The value must be an integer between 1 and the maximum number of pages (returned in the 'last' element of the 'links' attribute of the result)

This parameter is optional, but if 'pageSize' was specified, then 'page' is also required.

10.3 Response

Returns a list of prices for a particular product specification offering Id.

10.3.1 Status Code

200 OK

Success

400 Bad Request

Returned if incorrect parameters are specified for filtering, sorting or pagination. The response body will contain details about the nature of the error.

404 Not Found

Returned if the product specification Id or the offering Id could not be found.

502 Bad Gateway

Returned there is any internal API error.

10.3.2 Response Body

```
{
  "list": [
    {
      "type": "fee",
      "name": "recurring",
      "amount": 1125.0,
      "amountType": "retail",
      "deferred": 1,
      "billingPeriod": 3,
      "recurrences": -1,
      "relatedServiceSpecification": "",
    },
    {
      "type": "fee",
      "name": "recurring",
      "amount": 1125.0,
      "amountType": "retail",
      "deferred": 1,
      "billingPeriod": 3,
      "recurrences": -1,
      "relatedServiceSpecification": "https://api.hostway.com/serviceSpecifications/{serviceSpecificationId}",
    },
    {
      "type": "usage_fee",
      "name": "mfg_mailbox_standard",
      "billingPeriod": 1,
      "relatedServiceSpecification": "https://api.hostway.com/serviceSpecifications/{serviceSpecificationId}",
      "unit": "mfg_mailbox_standard",
      "rates": [
        {
          "start": 1.0,
          "end": 3.0,
          "pricePerIncrement": 0.0,
          "includedPrice": 0.0,
          "increment": 1.0
        },
        {
          "start": 3.0,
          "end": -1.0,
          "pricePerIncrement": 1.0,
          "includedPrice": 3.0,
          "increment": 1.0
        }
      ]
    }
  ],
  "links": [
    {
      "rel": "self",
      "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices?pageSize={pageSize}&page="
    },
    {
      "rel": "first",
      "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices?pageSize={pageSize}&page="
    },
    {
      "rel": "previous",
      "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices?pageSize={pageSize}&page="
    },
    {
      "rel": "next",
      "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices?pageSize={pageSize}&page="
    },
    {
      "rel": "last",
      "href": "https://api.hostway.com/productSpecifications/{productSpecificationId}/offerings/{offeringId}/prices?pageSize={pageSize}&page="
    }
  ]
}
```

10.3.2.1 Parameters

list - *list*

List of product offering price details. Each element of the list has the following attributes:

type - *string*

This can be either 'fee', 'discount' or 'usage_fee'. A fee represents a fee that will be charged. A discount represents a downward adjustment of the amount of a fee. An usage fee represents a fee that will be charged based on usage rate.

amountType - *string*

Possible values: 'retail'. Indicates the type of the fee amount.
This parameter is available for **fee** types only

deferred - *integer*

All fees (product and service specific fees) have deferred flag, which is showing whether the product/service has a delayed billing.

name - *string*

A name for the price. This is NOT guaranteed to be unique.

billingPeriod - *integer*

The billing frequency in months.

recurrences - *integer*

The number of time this price will recur. A value of -1 means that the price will recur throughout the entire lifetime of the provisioned product.
This parameter is available for **fee** and **discount** types only

relatedServiceSpecification - *string*

The URI of the service specification (associated with the product) to which this price is linked. If this is an empty string, then the price is linked to the product itself.

unit - *string*

unit based on which a service is charged for.

This parameter is available for **usage_fee** type only

rates - *dictionary*

tiers of usage on which a service is charged for. Each tier has:

start - *float*

number of unit for which a service begins to be charged with the **current** tier's price. The start of a tier is **inclusive for the current tier**.

end - *float*

number of unit for which a service begins to be charged with the **next** tier's price. The end of a tier is **exclusive for the current tier**. If the **end** parameter is -1, then we have no limit for the tier.

pricePerIncrement - *float*

Price per an increment to be charged.

increment - *float*

usage increment size to be charged pricePerIncrement price.

includedPrice - *float*

Fixed amount to be payed in a given tier.

10.4 Examples

10.4.1 Get usage tiers for a given service specification of a product

Request

GET

http://127.0.0.1:6543/productSpecifications/core.plan.linux.webstart/offerings/USD-1/prices?filterRelatedservicespecification=/serviceSpecifications/core.email.op

Response

HTTP/1.0 200 OK

```
{
  "list": [ {
    "name": "mfg_mailbox_standard",
    "billingPeriod": 1,
    "rates": [ {
      "start": 1.0,
      "end": 3.0,
      "pricePerIncrement": 1.0
      "includedPrice": 0.0,
      "increment": 1.0
    }, {
      "start": 3.0,
      "end": -1.0,
      "pricePerIncrement": 1.0
      "includedPrice": 3.0,
      "increment": 1.0
    } ],
    "relatedServiceSpecification": "http://127.0.0.1:6543/serviceSpecifications/core.email.openxchange.xmail",
    "type": "usage_fee",
    "unit": "mfg_mailbox_standard"
  }, {
    "name": "mfg_mailbox_activesync",
    "billingPeriod": 1,
    "rates": [ {
      "start": 1.0,
      "end": -1.0,
      "pricePerIncrement": 2.0
      "includedPrice": 0.0,
      "increment": 1.0
    } ],
    "relatedServiceSpecification": "http://127.0.0.1:6543/serviceSpecifications/core.email.openxchange.xmail",
    "type": "usage_fee",
    "unit": "mfg_mailbox_activesync"
  }, {
    "name": "mfg_mailbox_premium",
    "billingPeriod": 1,
    "rates": [ {
      "start": 1.0,
      "end": -1.0,
      "pricePerIncrement": 3.0
      "includedPrice": 0.0,
      "increment": 1.0
    } ],
    "relatedServiceSpecification": "http://127.0.0.1:6543/serviceSpecifications/core.email.openxchange.xmail",
    "type": "usage_fee",
    "unit": "mfg_mailbox_premium"
  } ],
  "links": [ {
    "href": "http://127.0.0.1:6543/productSpecifications/core.plan.linux.webstart/offerings/USD-1/prices?filterRelatedservicespecification=/",
    "rel": "self"
  } ]
}
```

10.4.2 Get usage tiers for a given service specification of a product filtered by an usage rate's name

Request

http://127.0.0.1:6543/productSpecifications/core.plan.linux.webstart/offerings/USD-1/prices?filterRelatedservicespecification=/serviceSpecifications/core.email.op

Response

HTTP/1.0 200 OK

```
{
  "list" : [ {
    "name" : "mfg_mailbox_standard",
    "billingPeriod" : 1,
    "rates" : [ {
      "start" : 1.0,
      "end" : 3.0,
      "pricePerIncrement" : 0.0,
      "includedPrice": 0.0,
      "increment": 1.0
    }, {
      "start" : 3.0,
      "end" : -1.0,
      "pricePerIncrement" : 1.0,
      "includedPrice": 3.0,
      "increment": 1.0
    } ],
    "relatedServiceSpecification" : "http://127.0.0.1:6543/serviceSpecifications/core.email.openxchange.xmail",
    "type" : "usage_fee",
    "unit" : "mfg_mailbox_standard"
  } ],
  "links" : [ {
    "href" : "http://127.0.0.1:6543/productspecifications/core.plan.linux.webstart/offerings/USD-1/prices?filterRelatedservicespecification=/"
  }, {
    "rel" : "self"
  } ]
}
```

10.5 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

11 ProductSpecifications-productSpecificationId-serviceSpecifications:GET

12 GET /productSpecifications/{productSpecificationId}/serviceSpecifications

Retrieves service specifications list for a given product specification.

12.1 Contents

- 1 GET
/productSpecifications/{productSpecificationId}/serviceSpecifications
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

12.2 Request

GET /productSpecifications/{productSpecificationId}/serviceSpecifications

12.3 Response

Returns a dictionary containing a list of service specifications with name, category, ranking and a link to corresponding service details.

12.3.1 Status Code

200 OK
Success

404 Not Found
Returned if the product specification could not be found.

12.3.2 Response Body

```
{
  "list": [
    {
      "name": ".com Domain",
      "category": "Domain Registration",
      "ranking": 1,
      "details": "https://api.hostway.com/serviceSpecifications/core.dnr.com"
    },
    {
      "name": "Linux Web Hosting 300GB",
      "category": "Core WebHosting",
      "ranking": 2,
      "details": "https://api.hostway.com/serviceSpecifications/core.webhosting.linux.300GB"
    }
  ],
  "links": [
    { "href": "https://api.hostway.com/productspecifications/{productSpecificationId}/serviceSpecifications", "rel": "self" }
  ]
}
```

12.3.2.1 Parameters

list - *list*
List of service specifications that are available with a few details and a link to corresponding service details. Each element of the list has the following attributes:

name - *string*
The name of service

category - *string*
The service category

ranking - *integer*
The service ranking related to other services in the same category

details - *string*
Hyperlink to the service's details

links - *list*
[Hypermedia](#) for this resource. Link to self will preserve filtering, sorting and pagination set by the request. Links to the first, last, previous and next pages will also be included if applicable

12.4 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

13 ServiceSpecifications-serviceSpecificationId:GET

14 GET /serviceSpecifications/{serviceSpecificationId}

Retrieves service specification details.

14.1 Contents

- 1 GET
 /serviceSpecifications/{serviceSpecificationId}
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

14.2 Request

GET /serviceSpecifications/{serviceSpecificationId}

14.3 Response

Returns a dictionary containing product specification details for a particular service specification.

14.3.1 Status Code

200 OK
Success

404 Not Found
Returned if the service specification Id could not be found.

14.3.2 Response Body

```
{
  "name": ".com Domain",
  "category": "Domain Registration",
  "ranking": 12,
  "attributes": "https://api.hostway.com/servicespecifications/core.dnr.com/attributes",
  "billingCycles": [
    {
      "default": 0,
      "billingCycle": 1
    },
    {
      "default": 0,
      "billingCycle": 12
    }
  ],
  "links": [
    { "href": "https://api.hostway.com/servicespecifications/core.dnr.com/", "rel": "self" }
  ]
}
```

14.3.2.1 Parameters

name - *string*
The name of the service

category - *string*
Service category

ranking - *integer*
Service ranking value

attributes - *string*
A link to a resource containing the service's [attributes](#)

billingCycles - *list*
Contains a list of dictionaries, specifying the available billing cycles for the given service

 default - *integer*
 Whether the cycle is considered default. Allowed values are 0 and 1

 billingCycle - *integer*
 The specific billing cycle in months

links - *list*
[Hypermedia](#) for this resource. Link to self will preserve filtering, sorting and pagination set by the request. Links to the first, last, previous and next pages will also be included if applicable

14.4 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

15 ServiceSpecifications-serviceSpecificationId-attributes:GET

16 GET /serviceSpecifications/{serviceSpecificationId}/attributes

Retrieves service specification attributes.

16.1 Contents

- 1 GET
 /serviceSpecifications/{serviceSpecificationId}/attributes
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

16.2 Request

GET /serviceSpecifications/{serviceSpecificationId}/attributes

16.3 Response

Returns a list containing product specification attributes for a particular service specification.

16.3.1 Status Code

200 OK
 Success

404 Not Found
 Returned if the service specification Id could not be found.

16.3.2 Response Body

```
{
  "list": [
    {
      "textkey": "core.websplanet.feature",
      "value": "Some attribute value"
    }
  ],
  "links": [
    { "href": "https://api.hostway.com/servicespecifications/core.websplanet.1/attributes", "rel": "self" }
  ],
}
```

16.3.2.1 Parameters

list - *list*
 the list of service specification attributes; contains tuples of:
 textkey - *string* - the attribute unique key
 value - *string* - the attribute value

links - *list*
 [Hypermedia](#) for this resource. Link to self will preserve filtering, sorting and pagination set by the request. Links to the first, last, previous and next pages will also be included if applicable

16.4 See also

- [Product Catalog API](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

17 Common Features

All Hostway APIs support common features for authentication and authorization, pagination, references to related resources, etc.

- [Authentication](#)
- [Hypermedia](#)
- [Pagination](#)
- [Server Response Codes](#)
- [Filtering](#)

[download this selection of articles as a PDF book](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)